

Figures 5 & 6 (left & below): The START tag, which attaches to the patient with a nylon tie, features the START flow chart and two patient-tracking stubs.



Office	DEAD/DYING	A 86427	OHE TO
Millos	MINOR	A 06427	The state of
The state of the s	IMMEDIATE	A 06427	A CONTRACTOR OF THE PARTY OF TH
ORMANO	DELAYED	A 06427	OHUMED

Figure 7 (left): Personnel performing triage display the appropriate color priority for the patient.

	A LEUT LAR			
28	Affice			
1 1	S.T.A	R.T.		
NON!	Move The Working Woun			
	So Resp. After Read Total	DEAD/DYW		
	Broprators - Over 30	SMMEDIATE		
	Mercal Status - Unable to	IMMEDIATE		
ph.	Follow Simple Commands Commands	IMMEDIATE		
	10.00	DELAYED		SUSSESSE
	MUDR HAD NOT	MACK TONGS		
100	XOS33 XOS33	EXTREMEST CONER	E E	
	Baseour sco	CAL .		
.0.				
A SIL	DEAD/DYING	A 09426	N. F	
	MINOR	A #6426	1	
	IMMEDIATE	A 26426		
SECTION SECTION	IMMEDIALE	SC No de Company de la company		
	THE RESERVE		11/2/10	
380	ADSINE BY	30 495	9	
	DELAYED	01429	100	

ASSESSMENT / TREATMENT

MADE:

ACCRIS

LOCA TIME POLSS HID S / P

- BALSS
- COSA
- COS

DEAD/DYING
MINOR
IMMEDIATE
DELAYED



Figure 8 (above): The person performing triage tears off one of the patient-tracking stubs and places it in the pack for tabulation after triage is complete.

Figure 9 (left): Providers document assessment and treatment information on the tag's back side.




Figure 10: One of the most important portions of the START tag is its second patient-tracking stub, which the transportation officer completes and removes as patients are assigned to an ambulance crew.



Figure 11: The transportation sector uses the tracking stub when providing a radio report to the receiving hospital and for entry on a patient-accountability log sheet.



Figure 12: The IMMEDIATE labels enable rescuers to easily identify patients in need of priority treatment and transport.